VOLUME 53
1974

THE BELL SYSTEM TECHNICAL JOURNAL

ADVISORY BOARD

D. E. PROCKNOW, *President,*
Western Electric Company, Incorporated

W. O. BAKER, *President,*
Bell Telephone Laboratories, Incorporated

W. L. LINDHOLM, *Vice Chairman of the Board,*
American Telephone and Telegraph Company

EDITORIAL COMMITTEE

W. E. DANIELSON, *Chairman*

F. T. ANDREWS, JR.
S. J. BUCHSBAUM
I. DORROS
D. GILLETTE
J. M. NEMECEK
C. B. SHARP
B. E. STRASSER
D. G. THOMAS
W. ULRICH
F. W. WALLITSCH

EDITORIAL STAFF

L. A. HOWARD, JR., *Editor*
P. WHEELER, *Associate Editor*
J. B. FRY, *Art and Production Editor*
F. J. SCHWETJE, *Circulation*

Index and Contents

AMERICAN TELEPHONE AND TELEGRAPH COMPANY
NEW YORK

LISTS OF ISSUES IN VOLUME 53

No. 1, January	Pages	1–176
No. 2, February		177–404
No. 3, March		405–556
No. 4, April		557–744
No. 5, May–June		745–954
No. 6, July–August		955–1186
No. 7, September		1187–1430
No. 8, October		1431–1680
No. 9, November		1681–1896
No. 10, December		1897–2276

Index iii
Contents xiii

NOTE: Words in parentheses precede words not in parentheses in the same entry. For example:

Adaptive Quantizer (Mathematical Analysis)

should be read Mathematical Analysis of Adaptive Quantizer.

Index to Volume 53

A

Adaptive Coding for Coherent Detection of Digital Phase Modulation 449–66
ADAPTIVE DIFFERENTIAL PCM CODER (ALGORITHM FOR LOCATING BEGINNING AND END OF CODED SPEECH) 1127–35
ADAPTIVE QUANTIZER (MATHEMATICAL ANALYSIS) 867–98
ADPCM CODER *See* ADAPTIVE DIFFERENTIAL PCM CODER
Ahamed, S. V. 1839–43
Albert, W. G. 2147–94
Algorithm for Locating the Beginning and End of an Utterance Using ADPCM Coded Speech (An) 1127–35
AMPLIFIER (HIGH-IMPEDANCE INPUT, OPTICAL REPEATER WITH) 629–43
AMPLIFIERS (INPUT, OPTICAL PCM RECEIVERS) 1771–93
Anderson, C. W., III 1817–37
Anderson, R. W. 2035–64
Angell, E. H. 1935–85
ANISOTROPIC SOLIDS OF REVOLUTION (FINITE-ELEMENT METHOD FOR THERMAL STRESS DETERMINATION) 827–45
ANTENNA
(Improved for Microwave Radio Systems) 1351–77
(Multiple-Beam Microwave, Proposed for Earth Stations and Satellites) 1657–65
Application of Response-Bound Method in Shock and Vibration Analysis of Telephone Structures 1403–26
Arnaud, J. A. 217–24, 675–96, 1379–94, 1599–618, 1643–56
Astle, H. W. 1021–39
ASYNCHRONOUS DIGITAL CIRCUITS (AUTOMATIC TEST GENERATION, LAMP) 1477–503
ATTENUATION (RAIN, SHORT RADIO PATHS; THEORY, EXPERIMENT, AND DESIGN) 1329–49
ATTENUATION REDUCTION (USING NEGATIVE-IMPEDANCE UNITS IN TRANSMISSION LINE) 1845–92
Automatic Intercept System:
Administering the Intercept Data Base 133–53
Development Support Systems 155–70
File Subsystem 107–32
Operational Programs 19–69
Organization and Objectives 1–18
Peripheral Circuits 71–106
AUTOMATIC TEST GENERATION FOR ASYNCHRONOUS DIGITAL CIRCUITS (LAMP) 1477–503

B

Barry, J. F. 2109–27
Bartelink, D. J. 467–502
Bates, R. K. 2129–45
Baun, P. J. 2035–64
BCCD *See* BURIED-CHANNEL CHARGE-COUPLED DEVICE
Behavior of Minimax FIR Digital Hilbert Transformers (On the) 363–90
Behavior of Minimax Relative Error FIR Digital Differentiators (On the) 333–61
BENDING LOSSES (TRANSVERSE COUPLING IN FIBER OPTICS) 1379–94
Bent Optical Waveguide with Lossy Jacket 1079–101
Bias-Temperature-Stress Studies of Charge Retention in Dual-Dielectric, Charge-Storage Cells 1741–70
BINARY SIGNAL BLOCK CODED FOR DC SUPPRESSION (SPECTRUM) 1103–26
BIT SEQUENCES (CORRELATION IN CONSECUTIVE DELTA MODULATIONS OF A SPEECH SIGNAL) 937–46
BLOCK CODED BINARY SIGNAL (SPECTRUM FOR DC SUPPRESSION) 1103–26
Bobilin, R. T. 395–400
Bodtmann, W. F. 449–66, 1329–49
Boulin, D. M. 1723–39
Brandenburg, L. H. 745–78
Brendel, P. J. 71–106
Buck, I. D. 155–70
BURIED-CHANNEL CHARGE-COUPLED DEVICE (TWO-PHASE DESIGN) 1581–97
BURST PROCESSES (FORMULAS ON QUEUES) 425–48
Butler, T. T. 1535–55
Byrne, C. J. 1–18

C

CAD TECHNIQUES *See* COMPUTER-AIDED DESIGN TECHNIQUES
Candy, J. C. 1667–76
Capacity of the Gaussian Channel with Memory: The Multivariate Case 745–78
Carran, J. H. 133–53
C-BAND (VARACTOR HARMONIC POWER GENERATION) 1839–43
CCD *See* CHARGE COUPLED DEVICE
CELLS
(Dual-Dielectric Charge-Storage, Bias-Temperature-Stress Studies of Charge Retention) 1741–70
(Dual-Dielectric Charge-Storage, Interfacial Dopants) 1723–39
CENTRALIZED TRANSMISSION SURVEILLANCE (L5 SYSTEM) 2035–64
Chang, H. Y. 1431–49, 1505–34
Chappell, S. G. 1451–76, 1477–503
CHARGE COUPLED DEVICE
(Buried-Channel, Two-Phase Design) 1581–97
(Linear 500-Element 3-Phase, Experimental Investigation) 581–610

CHARGE RETENTION (BIAS-TEMPERATURE STRESS STUDIES IN DUAL-DIELECTRIC CHARGE-STORAGE CELLS) 1741–70
CHARGE TRANSFER DEVICES (NOISE THEORY) 1211–62
Chen, R. M.-M. 2249–67
Cho, Y.-S. 847–65, 1935–85
CHU, T. S. 1557–79
CIRCULAR AND LINEAR POLARIZATIONS AT 18 GHz (SIMULTANEOUS MEASUREMENTS OF DEPOLARIZATION BY RAIN) 400–4
COAXIAL-CARRIER TRANSMISSION SYSTEM *See* L5 SYSTEM
CODECS (ONE-BIT DIFFERENTIAL, LIMITING PROPAGATION OF ERRORS) 1667–76
CODED SPEECH (ADPCM, ALGORITHM FOR LOCATING BEGINNING AND END OF AN UTTERANCE) 1127–35
Codes Which Detect Deception 405–24
CODING
(Interframe *Picturephone*® Using Unconditional Vertical and Temporal Subsampling Techniques) 395–400
(Simple Network Source) 1681–721
CODING FOR TELEVISION (COMBINING INTRAFRAME AND FRAME-TO-FRAME) 1137–73
Cohen, H. 19–69
COHERENT DETECTION OF DIGITAL PHASE MODULATION (ADAPTIVE CODING) 449–66
Combining Intraframe and Frame-to-Frame Coding for Television 1137–73
Comella, W. K. 71–106
COMET *See* CONTROLLABILITY, OBSERVABILITY, AND MAINTENANCE ENGINEERING TECHNIQUES
COMMUNICATION NETWORK (COMPUTER, EXPERIMENTAL PERFORMANCE MODELS) 225–59
COMMUNICATION SYSTEMS (DIGITAL FIBER OPTIC, OPTIMAL TRADE-OFF OF MODE-MIXING OPTICAL FILTERING AND INDEX DIFFERENCE) 785–800
Comparisons Between FIR and IIR Digital Filters (Some) 305–31
COMPUTER-AIDED DESIGN TECHNIQUES (L5 SYSTEM) 2249–67
COMPUTER COMMUNICATION NETWORK (EXPERIMENTAL PERFORMANCE MODELS) 225–59
COMPUTER-OPERATED TRANSMISSION MEASUREMENT SET (PRECISION MEASUREMENTS IN L5 SYSTEM) 2249–67
COMPUTING AND PRECISION MEASUREMENTS (L5 SYSTEM) 2249–67
CONCENTRATION-FLUCTUATION SCATTERING (OPTIMUM REFRACTIVE-INDEX DIFFERENCE FOR GRADED-INDEX FIBERS) 1395–402
Confalone, D. E. 19–69
CONTROLLABILITY, OBSERVABILITY, AND MAINTENANCE ENGINEERING TECHNIQUES (LAMP) 1505–34
Controlled Current Filaments in PNIPN Structures with Application to Magnetic Field Detection 467–502
Correlation Between Bit Sequences in Consecutive Delta Modulations of a Speech Signal (On the) 937–46
COTMS *See* COMPUTER-OPERATED TRANSMISSION MEASUREMENT SET
COUPLING BETWEEN TRAPPED MODES (FIBER OPTICS) 217–24
Coupling of Nearly Degenerate Modes in Parallel Asymmetric Dielectric Waveguides 717–39
COUPLING TO MODE SINKS (FIBER OPTICS) 675–96
Cross, M.-J. 955–1019
CROSS-POLARIZATION (RAIN-INDUCED AT CENTIMETER AND MILLIMETER WAVELENGTHS) 1557–79
Crudup, G. D. 155–70
CTD *See* CHARGE TRANSFER DEVICES

D

D'Altroy, F. A. 2195–202
DC SUPPRESSION (SPECTRUM OF BLOCK CODED BINARY SIGNAL) 1103–26
DDC CELLS *See* DUAL-DIELECTRIC CHARGE-STORAGE CELLS
DECEPTION DETECTING CODES 405–24
DECISION FEEDBACK EQUALIZATION (TRANSMITTER AND RECEIVER FILTERS DESIGN) 503–23
Delay Distortion in Generalized Lens-Like Media 177–93
DELTA MODULATED SPEECH SIGNAL (BIT SEQUENCE CORRELATION) 937–46
DEPOLARIZATION BY RAIN AT 18 GHz (SIMULTANEOUS MEASUREMENTS OF LINEAR AND CIRCULAR POLARIZATIONS) 400–4
Design Considerations for a Two-Phase, Buried-Channel, Charge-Coupled Device 1581–97
Design of Transmitter and Receiver Filters for Decision Feedback Equalization 503–23
DETERMINATION OF THERMAL STRESSES IN ANISOTROPIC SOLIDS OF REVOLUTION (FINITE-ELEMENT METHOD) 827–45
DEVELOPMENT SUPPORT SYSTEMS (AUTOMATIC INTERCEPT SYSTEM) 155–70
DFE *See* DECISION FEEDBACK EQUALIZATION
DIELECTRIC WAVEGUIDES (PARALLEL ASYMMETRIC, MODE COUPLING) 717–39

DIFFERENTIAL CODECs (ONE-BIT, LIMITING PROPAGATION OF ERRORS) 1667–76
DIGITAL CIRCUITS (ASYNCHRONOUS, AUTOMATIC TEST GENERATION, LAMP) 1477–503
DIGITAL FIBER OPTIC COMMUNICATION SYSTEMS (OPTIMAL TRADE-OFF OF MODE-MIXING OPTICAL FILTERING AND INDEX DIFFERENCE) 785–800
DIGITAL FILTERS (COMPARISONS BETWEEN FIR AND IIR) 305–31
DIGITAL PHASE MODULATION
(Adaptive Coding for Coherent Detection) 449–66
Spectra (Matrix Methods) 899–935
DIODE CIRCUITS (IMPATT, SPURIOUS PARAMETRIC OSCILLATIONS) 1187–210
DiSalvo, J. J. 107–32
Dolan, M. T. 305–31
DOPANTS (INTERFACIAL FOR DUAL-DIELECTRIC CHARGE-STORAGE CELLS) 1723–39
DOWNCONVERTER (STRIPLINE WITH SUBHARMONIC PUMP) 1179–83
Dragone, C. 1351–77
DUAL-DIELECTRIC CHARGE STORAGE CELLS
(Bias-Temperature-Stress Studies of Charge Retention) 1741–70
(Interfacial Dopants) 1723–39

E

ELECTROMAGNETIC WAVE (PLANE, SCATTERING BY AXISYMMETRIC RAINDROPS) 955–1019
Elmendorf, C. H. 1451–76
EQUALIZATION (MEAN-SQUARED-ERROR USING MANUALLY ADJUSTED EQUALIZERS) 847–65
EQUALIZERS (MANUALLY ADJUSTED, MEAN-SQUARED-ERROR EQUALIZATION) 847–65
ERLANG LOSS FUNCTION (PROPERTIES) 525–51
ERROR PROPAGATION LIMITATION (ONE-BIT DIFFERENTIAL CODECS) 1667–76
Experimental Investigation of a Linear 500-Element 3-Phase Charge-Coupled Device 581–610
Experimental Results on a Single-Material Optical Fiber 779–84

F

FIBER
(Single-Material, Helicoidal; Theory) 1643–56
(Single-Material Optical, Experimental Results) 779–84
(Single-Material Theory) 1619–41
FIBER OPTICS
(Transverse Coupling Between Trapped Modes) 217–24
(Transverse Coupling Binding Losses) 1379–94
(Transverse Coupling to Mode Sinks) 675–96
Fiber Ribbon Optical Transmission Lines 1183–5
FIBERS
(Graded-Index, Delay Distortion) 177–93
(Graded-Index, Optimum Refractive-Index Difference Resulting from Concentration-Fluctuation Scattering) 1395–402
(Low-Loss Single-Material, Made from Pure Fused Silica) 1021–39
(Multimode, Planar, Optical; Pulse Spreading) 1599–618
(Optical, Rayleigh Scattering and Impulse Response) 705–15
(Parabolic Index, Losses and Impulse Response) 195–215
FILAMENTS (PNIPN CONTROLLED CURRENT, APPLIED TO MAGNETIC FIELD DETECTION) 467–502
FILE SUBSYSTEM (AUTOMATIC INTERCEPT SYSTEM) 107–32
FILM WAVEGUIDE (STRIP-LOADED) 697–704
FILTERS (TRANSMITTER AND RECEIVER, DESIGN FOR DECISION FEEDBACK EQUALIZATION) 503–23
Finite-Element Method for the Determination of Thermal Stresses in Anisotropic Solids of Revolution 827–45
FINITE IMPULSE RESPONSE *See* FIR
FIR AND IIR DIGITAL FILTERS (COMPARISONS) 305–31
FIR DIGITAL DIFFERENTIATORS (MINIMAX RELATIVE ERROR BEHAVIOR) 333–61
FIR DIGITAL HILBERT TRANSFORMERS (MINIMAX, BEHAVIOR) 363–90
Flint, A. F. 2097–107
FLUCTUATIONS (MICROSCOPIC, TREATMENT IN NOISE THEORY) 1041–78
Formulas on Queues in Burst Processes—II 425–48
FRAME-TO-FRAME AND INTRAFRAME CODING FOR TELEVISION (COMBINING) 1137–73
French, W. G. 951–4
FREQUENCY SUPPLY (JUMBOGROUP, L5 SYSTEM) 2109–27

G

Garrison, J. L. 2203–48
GAUSSIAN CHANNEL WITH MEMORY (CAPACITY, MULTIVARIATE CASE) 745–78

Gaussian Noise and Sinusoids (Sum, Statistical Properties and Generalization to Higher Dimensions) 557–80
Geomagnetic Disturbances (L4 System Outage) 1817–37
Gershwin, S. B. 261–81
Gilbert, E. N. 405–24
Glance, B. 1321–8
Goell, J. E. 629–43, 1771–93
Goldman, J. 557–80
Goodrich, L. M. 801–26
Gopinath, B. 425–48
Graded Index Fibers
(Delay Distortion) 177–93
(Optimum Refractive-Index Difference from Concentration-Fluctuation Scattering) 1395–402
Gray, R. M. 1681–721
Green, J. H. 2011–34
Greenstein, L. J. 1103–26
Greisen, K. E. 133–53

H

Hall, W. G. 133–53
Hallin, T. G. 1535–55
Hamilton, B. H. 1987–2009
Hayes, J. F. 225–59
Heimbigner, G. W. 1505–34
Helicoidal Fiber (Single-Material, Theory) 1643–56
Hempstead, C. F. 2249–67
Herr, F. J. 1901–33
Herrmann, O. 305–31
High-Impedance Input Amplifier (Optical Repeater with) 629–43
Hilbert Transformers (Minimax FIR Digital, Behavior) 363–90
Holden, W. S. 779–84
Hopkins, J. W. 107–32
Hunter, P. D. 107–32

I

IIR and FIR Digital Filters (Comparisons) 305–31
Impact Avalanche and Transit Time *See* IMPATT
IMPATT Diode Circuits (Spurious Parametric Oscillations) 1187–210
Improved Antenna for Microwave Radio Systems Consisting of Two Cylindrical Reflectors and a Corrugated Horn (An) 1351–77
Impulse Response and Losses (Parabolic Index Fibers) 195–215
Impulse Response and Rayleigh Scattering (Optical Fibers) 705–15
Infinite Impulse Response *See* IIR
Input Amplifiers for Optical PCM Receivers 1771–93
Integrated Millimeter-Wave Receiver (Low-Noise) 1321–8
Intercept Data Base Administration (Automatic Intercept System) 133–53
Interconnection and Signal Administration (L5 System) 2129–45
Interfacial Dopants for Dual-Dielectric, Charge-Storage Cells 1723–39
Interframe Picturephone® *Coding Using Unconditional Vertical and Temporal Subsampling Techniques* 395–400
Intraframe and Frame-to-Frame Coding for Television (Combining) 1137–73
Irvin, J. C. 1839–43

J

Jacobs, R. M. 2195–202
Jagerman, D. L. 525–51
Jayant, N. S. 937–46
JFS *See* Jumbogroup Frequency Supply
JMX *See* Jumbogroup Multiplex Terminal
Johnson, K. W. 1535–55
Jumbogroup Frequency Supply (L5 System) 2109–27
Jumbogroup Multiplex Terminal (L5 System) 2065–96

K

Kahng, D. 1723–39, 1741–70
Kaiser, J. F. 305–31
Kaiser, P. 1021–39
Kaufman, S. 827–45
Kelcourse, F. C. 1901–33
Kemp, C. W. 155–70
Kleiner, B. 1263–320
Kretsch, K. P. 1935–85
Kulzer, J. J. 1535–55
Kuo, Y. L. 2249–67

L

L4 System Outage (Geomagnetic Disturbances) 1817–37
L5 System:
Centralized Transmission Surveillance 2035–64
Foreword 1897–9
Jumbogroup Frequency Supply 2109–27
Jumbogroup Multiplex Terminal 2065–96
Line-Power Feed 1987–2009
Line-Protection Switching 2011–34
Overall Description and System Design 1901–33
Physical Design 2147–94
Repeatered Line 1935–85
Role of Computing and Precision Measurements 2249–67

Signal Administration and Interconnection 2129–45
39A Precision Oscillator 2097–107
Transmission Networks and Magnetic Components 2203–48
Ultralinear Transistors 2195–202
LAMP:
Application to Switching-System Development 1535–55
Automatic Test Generation for Asynchronous Digital Circuits 1477–503
Controllability, Observability, and Maintenance Engineering Techniques (COMET) 1505–34
Logic-Circuit Simulators 1451–76
System Description 1431–49
Lanzerotti, L. J. 1817–37
Laue, R. V. 261–81
Lens-Like Media (Generalized) Delay Distortion 177–93
Ligenza, J. R. 1723–39
Limb, J. O. 1137–73
Limiting the Propagation of Errors in One-Bit Differential CODECs 1667–76
Line-Power Feed (L5 System) 1987–2009
Line-Protection Switching (L5 System) 2011–34
Linear and Circular Polarizations at 18 GHz (Simultaneous Measurements of Depolarization by Rain) 400–4
Linear 500-Element 3-Phase Charge-Coupled Device (Experimental Investigation) 581–610
Liou, M. L. 2249–67
Liu, C. K. 611–27
Liu, S. C. 1403–26
Logic Analyzer for Maintenance Planning *See* LAMP
Logic-Circuit Simulators (LAMP) 1451–76
Long-Haul Transmission *See* L5 System
Losses (Bending, Transverse Coupling in Fiber Optics) 1379–94
Losses and Impulse Response in Parabolic Index Fibers with Square Cross Section 195–215
Lossy Jacket (Used with Bent Optical Waveguide) 1079–101
Low-Loss Optical Waveguides 951–4
Low-Loss Single-Material Fibers Made From Pure Fused Silica 1021–39
Low-Noise, Integrated, Millimeter-Wave Receiver 1321–8
Luniewicz, M. M. 1935–85

M

MacChesney, J. B. 951–4
Machol, R. E. 107–32
MacLennan, C. G. 1817–37
MacWilliams, Mrs. F. J. 405–24
Magnetic Components and Transmission Networks (L5 System) 2203–48
Magnetic Field Detection (Using PNIPN Controlled Current Filaments) 467–502
Maintenance Engineering Techniques (LAMP) 1505–34
Manley, J. M. 1845–92
Map Technique for Identifying Variables of Symmetry (A) 801–26
Marcatili, E. A. J. 645–74
Marcuse, D. 195–215, 705–15, 1079–101, 1619–41, 1795–815
Markson, R. N. 71–106
Mathematical Analysis of an Adaptive Quantizer 867–98
Matrix Methods (Used to Derive Digital Phase Modulation Spectra) 899–935
Maurer, R. E. 2065–96
McKenna, J. 1581–97
Mean-Squared-Error Equalization Using Manually Adjusted Equalizers 847–65
Microscopic Fluctuations in Noise Theory (Treatment of) 1041–78
Microwave Antenna (Multiple-Beam, Proposed for Earth Stations and Satellites) 1657–65
Microwave Radio Antenna 1351–77
Miller, S. E. 177–93
Millimeter-Wave Receiver (Low-Noise, Integrated) 1321–8
Minimax FIR Digital Hilbert Transformers (Behavior) 363–90
Minimax Relative Error FIR Digital Differentiators (Behavior) 333–61
Mitra, D. 425–48, 867–98
Mode Coupling
(Intentional to Reduce Multimode Pulse Dispersion) 1795–815
(Parallel Asymmetric Dielectric Waveguides) 717–39
Mode-Mixing Optical Filtering and Index Difference in Digital Fiber Optic Communication Systems (Optimal Trade-Off) 785–800
Mode Sinks (Transverse Coupling in Fiber Optics) 675–96
Morrison, J. A. 955–1019
Mottel, S. 1987–2009
Moylan, P. J. 71–106
Multimode, Planar, Optical Fibers (Pulse Spreading) 1599–618
Multimode Pulse Dispersion (Reduction by Intentional Mode Coupling) 1795–815
Multiple-Beam Microwave Antenna (Proposed for Earth Stations and Satellites) 1657–65
Multiplex Terminal (Jumbogroup, L5 System) 2065–96

MULTIPLEXER (RURAL, PEAK-LOAD TRAFFIC ADMINISTRATION) 261–81
MULTIVARIATE GAUSSIAN CHANNEL WITH MEMORY (CAPACITY) 745–78

N

Nacci, J. M. 2195–202
Narayanan, S. 2109–27
Negative-Impedance Units Inserted Uniformly Into a Transmission Line to Reduce Attenuation (The Use of) 1845–92
Neppell, C. T. 1741–70
NETWORK (SIMPLE, SOURCE CODING) 1681–721
NETWORKS (TRANSMISSION, L5 SYSTEM) 2203–48
New Frontiers of Varactor Harmonic Power Generation in the C-Band 1839–43
NOISE
In Charge Transfer Devices (Theory) 1211–62
(Telephone, Statistical Analysis) 1263–320
Theory (Treatment of Microscopic Fluctuations) 1041–78
NOTCH FILTERS (TIME DOMAIN ANALYSIS AND SYNTHESIS) 283–304

O

Oberst, J. F. 2109–27
O'Connor, P. B. 951–4
Ohm, E. A. 1657–65
Olsen, A., Jr. 2203–48
ONE-BIT DIFFERENTIAL CODECS (LIMITING PROPAGATION OF ERRORS) 1667–76
OPERATIONAL PROGRAMS (AUTOMATIC INTERCEPT SYSTEM) 19–69
OPTIC COMMUNICATION SYSTEMS (DIGITAL FIBER, OPTIMAL TRADE-OFF OF MODE-MIXING OPTICAL FILTERING AND INDEX DIFFERENCE) 785–800
OPTICAL FIBER (SINGLE-MATERIAL, EXPERIMENTAL RESULTS) 779–84
OPTICAL FIBER RIBBON (TRANSMISSION LINES) 1183–5
OPTICAL FIBERS
(Delay Distortion) 177–93
(Low-Loss Single-Material, Made From Pure Fused Silica) 1021–39
(Multimode, Planar; Pulse Spreading) 1599–618
(Rayleigh Scattering and Impulse Response) 705–15
OPTICAL FILTERING AND INDEX DIFFERENCE (MODE-MIXING, OPTIMAL TRADE-OFF IN DIGITAL FIBER OPTIC COMMUNICATION SYSTEMS) 785–800
OPTICAL PCM RECEIVERS (INPUT AMPLIFIERS) 1771–93
Optical Repeater with High-Impedance Input Amplifier (An) 629–43
OPTICAL WAVEGUIDE (BENT, WITH LOSSY JACKET) 1079–101
OPTICAL WAVEGUIDES (GRADED-INDEX FIBERS, OPTIMUM REFRACTIVE-INDEX DIFFERENCE RESULTING FROM CONCENTRATION-FLUCTUATION SCATTERING) 1395–402
Optical Waveguides with Very Low Losses 951–4
OPTICS
(Fiber, Transverse Coupling Bending Losses) 1379–94
(Fiber, Transverse Coupling Between Trapped Modes) 217–24
(Fiber, Transverse Coupling to Mode Sinks) 675–96
Optimal Trade-Off of Mode-Mixing Optical Filtering and Index Difference in Digital Fiber Optic Communication Systems 785–800
Optimum Refractive-Index Difference for Graded-Index Fibers Resulting From Concentration-Fluctuation Scattering 1395–402
Orost, J. 71–106
OSCILLATOR (39A PRECISION, L5 SYSTEM) 2097–107
Ostermayer, F. W., Jr. 1395–402
Outage of the L4 System and the Geomagnetic Disturbances of 4 August 1972 1817–37

P

Panner, E. J. 2195–202
PARABOLIC INDEX FIBERS (LOSSES AND IMPULSE RESPONSE) 195–215
PARAMETRIC OSCILLATIONS (SPURIOUS, IMPATT DIODE CIRCUITS) 1187–210
PCM RECEIVERS (OPTICAL, INPUT AMPLIFIERS) 1771–93
Peak-Load Traffic Administration of a Rural Multiplexer with Concentration 261–81
Pease, R. F. W. 1137–73
Performance Models of an Experimental Computer Communication Network 225–59
PERIPHERAL CIRCUITS (AUTOMATIC INTERCEPT SYSTEM) 71–106
Persky, G. 467–502
Personick, S. D. 785–800
PHASE MODULATION (DIGITAL, ADAPTIVE CODING FOR COHERENT DETECTION) 449–66
PHASE MODULATION SPECTRA (DIGITAL, MATRIX METHODS) 899–935
PHYSICAL DESIGN (L5 SYSTEM) 2147–94

Picturephone® Coding (Interframe, Using Unconditional Vertical and Temporal Subsampling Techniques) 395–400
Piereth, R. J. 407–32
Pinnow, D. A. 1395–402
Planar Optical Fibers (Multimode, Pulse Spreading) 1599–618
Plane Electromagnetic Wave (Scattering by Axisymmetric Raindrops) 955–1019
PNIPN Controlled Current Filaments (With Application to Magnetic Field Detection) 467–502
Polarizations at 18 GHz (Linear and Circular, Measurements of Depolarization by Rain) 400–4
Prabhu, V. K. 899–935
Precision Measurements and Computing (L5 System) 2249–67
Precision Oscillator (39A, L5 System) 2097–107
Propagation of Errors in One-Bit Differential Codecs (Limiting) 1667–76
Properties of the Erlang Loss Function (Some) 525–51
Proposed Multiple-Beam Microwave Antenna for Earth Stations and Satellites (A) 1657–65
Pulse-Code-Modulation Receivers *See* PCM Receivers
Pulse Spreading in Multimode, Planar, Optical Fibers 1599–618
Pustarfi, H. S. 2097–107

Q

Quantizer (Adaptive, Mathematical Analysis) 867–98
Queues (Formulas in Burst Processes) 425–48

R

Rabiner, L. R. 305–31, 333–61, 363–90, 1127–35
Radio Paths (Short, Rain Attenuation; Theory, Experiment, and Design) 1329–49
Radio Systems (Microwave, Improved Antenna) 1351–77
Rain Attenuation on Short Radio Paths: Theory, Experiment, and Design 1329–49
Rain-Induced Cross-Polarisation at Centimeter and Millimeter Wavelengths 1557–79
Raindrops (Axisymmetric, Plane Electromagnetic Wave Scattering) 955–1019
Ramaswamy, V. 697–704
Rayleigh Scattering and the Impulse Response of Optical Fibers 705–15
Receiver (Low-Noise, Integrated, Millimeter-Wave) 1321–8
Receiver and Transmitter Filters (Design for Decision Feedback Equalization) 503–23
Reduction of Multimode Pulse Dispersion by Intentional Mode Coupling 1795–815
Refractive-Index Difference (Optimum, Graded-Index Fibers, Concentration-Fluctuation Scattering) 1395–402
Reinhart, F. K. 717–39
Relative Error FIR Digital Differentiators (Minimax, Behavior) 333–61
Repeatered Line (L5 System) 1935–85
Response-Bound Method (Application in Shock and Vibration Analysis of Telephone Structures) 1403–26
Rosenthal, L. H. 1127–35
Rowe, H. W. 899–935
Rural Multiplexer with Concentration (Peak-Load Traffic Administration) 261–81
Ruthroff, C. L. 449–66, 1329–49

S

Salazar, A. C. 503–23
Sampled-Data System Approach to Model Time-Division Switches 611–27
Sanders, R. W. 2011–34
Satellite Communication Systems (Multiple-Beam Microwave Antenna) 1657–65
Scattering (Concentration-Fluctuation, Optimum Refractive-Index Difference for Graded-Index Fibers) 1395–402
Scattering of a Plane Electromagnetic Wave by Axisymmetric Raindrops 955–1019
Schafer, R. W. 333–61, 363–90, 1127–35
Schmidt, L. D. 1451–76
Schneider, M. V. 1179–83
Schroeder, W. E. 1187–210
Schryer, N. L. 1581–97
Semplak, R. A. 400–4
Séquin, C. H. 581–610
Shock and Vibration Analysis of Telephone Structures (Application of Response-Bound Method) 1403–26
Short Radio Paths (Rain Attenuation; Theory, Experiment, and Design) 1329–49
Signal Administration and Interconnection (L5 System) 2129–45
Silica (Used to Make Low-Loss Single-Material Fibers) 1021–39
Simmonds, T. H., Jr. 2203–48

Simulators (LAMP Logic-Circuit) 1451–76
Simultaneous Measurements of Depolarization by Rain Using Linear and Circular Polarizations at 18 GHz 400–4
Single-Material Fiber
Helicoidal (Theory) 1643–56
(Low-Loss, Made from Pure Fused Silica) 1021–39
Optical (Experimental Results) 779–84
(Theory) 1619–41
Sinusoids and Gaussian Noise (Sum, Statistical Properties and Generalization to Higher Dimensions) 557–80
Slab-Coupled Waveguides 645–74
Sloane, N. J. A. 405–24
Smith, G. W., Jr. 1431–49
Snell, W. W., Jr. 1179–83, 1321–8
Snicer, R. P. 2249–67
Sondhi, M. M. 425–48
Source Coding for a Simple Network 1681–721
Spectra of Digital Phase Modulation by Matrix Methods 899–935
Spectrum of a Binary Signal Block Coded for DC Suppression 1103–26
Speech Signal (Consecutive Delta Modulations, Bit Sequence Correlation) 937–46
Spurious Parametric Oscillations in IMPATT Diode Circuits 1187–210
Stacked Varactors 1839–43
Standley, R. D. 779–84, 1183–5
Statistical Analysis of Telephone Noise (A) 1263–320
Statistical Properties of a Sum of Sinusoids and Gaussian Noise and its Generalization to Higher Dimensions 557–80
Strip-Loaded Film Waveguide 697–704
Stripline Downconverter with Subharmonic Pump 1179–83
Stuck, B. W. 1263–320
Subharmonic Pump (Stripline Downconverter With) 1179–83
Subsampling Techniques (Unconditional Vertical and Temporal, Interframe *Picturephone*® Coding) 395–400
Sundburg, W. J. 1723–39
Support Systems (Automatic Intercept System) 155–70
Switches (Model Time-Division, Sampled-Data System Approach) 611–27
Switching (Line-Protection in L5 System) 2011–34
Switching-System Development (LAMP) 1535–55
Symmetrizable Functions (Map Techniques for Identifying) 801–26
Synthesis and Time Domain Analysis (Notch Filters) 288–304

T

Tasker, G. W. 951–4
Telephone Noise (Statistical Analysis) 1263–320
Telephone Structures (Shock and Vibration Analysis, Application of Response-Bound Method) 1403–26
Television Coding (Combining Intraframe and Frame-to-Frame) 1137–73
Test Generation (Automatic for Asynchronous Digital Circuits, LAMP) 1477–503
Theory of Noise in Charge-Transfer Devices 1211–62
Theory of the Single-Material Fiber 1619–41
Theory of the Single-Material, Helicoidal Fiber 1643–56
Thermal Stress Determination in Anisotropic Solids of Revolution (Finite-Element Method) 827–45
Thin-Film Converter 1179–83
Thomas, J. L. 2035–64
Thornber, K. K. 1041–78, 1211–62, 1741–70
Time-Division Switches (Model, Sampled-Data System Approach) 611–27
Time Domain Analysis and Synthesis of Notch Filters 283–304
Transistors (Ultralinear, L5 System) 2195–202
Transmission Line Attenuation (Reduction Using Negative-Impedance Units) 1845–92
Transmission Lines (Fiber Ribbon Optical) 1183–5
Transmission Networks and Magnetic Components (L5 System) 2203–48
Transmission Surveillance (Centralized, L5 System) 2035–64
Transmitter and Receiver Filters (Design for Decision Feedback Equalization) 503–23
Transverse Coupling in Fiber Optics—Part I: Coupling Between Trapped Modes 217–24
Transverse Coupling in Fiber Optics—Part II: Coupling to Mode Sinks 675–96
Transverse Coupling in Fiber Optics—Part III: Bending Losses 1379–94
Trapped Modes (Transverse Coupling in Fiber Optics) 217–24
Two-Phase Buried-Channel Charge-Coupled Device (Design Considerations) 1581–97

U

Ultralinear Transistors (L5 System) 2195–202

V

Varactor Harmonic Power (Generation in C-Band) 1839–43
Variables of Symmetry (Map Technique for Identifying) 801–26
Vibration and Shock Analysis of Telephone Structures (Application of Response-Bound Method) 1403–26
Vogel, G. C. 155–70

W

Wagner, B. D. 19–69
Walden, R. H. 1581–97
Walford, R. B. 1431–49
Walsh, E. D. 2249–67
Walsh, K. A. 1137–73
Wang, T. L. 611–27
Waveguide
(Bent Optical, with Lossy Jacket) 1079–101
(Strip-Loaded Film) 697–704
Waveguides
(Low-Loss Optical) 951–4
(Parallel Asymmetric Dielectric, Mode Coupling) 717–39
(Slab-Coupled) 645–74
Wavelengths (Centimeter and Millimeter, Rain-Induced Cross-Polarization) 1557–79
Wells, D. J. 133–53
Wilson, L. O. 717–39
Winckelmann, W. A. 1–18
Wirtz, R. J. 2147–94
Wolfe, R. M. 1–18
Wolman, E. 261–81
Wood, W. W. 19–69
Wyner, A. D. 745–78, 1681–721

Z

Zorn, D. J. 2129–45
Zucker, H. 283–304

1974 CONTENTS

January

AUTOMATIC INTERCEPT SYSTEM

C. J. Byrne, W. A. Winckelmann, and R. M. Wolfe	Organization and Objectives	1
H. Cohen, D. E. Confalone, B. D. Wagner, and W. W. Wood	Operational Programs	19
P. J. Brendel, W. K. Comella, R. N. Markson, P. J. Moylan, and J. Orost	Peripheral Circuits	71
J. W. Hopkins, P. D. Hunter, R. E. Machol, J. J. DiSalvo, and R. J. Piereth	File Subsystem	107
J. H. Carran, K. E. Greisen, W. G. Hall, and D. J. Wells	Administering the Intercept Data Base	133
I. D. Buck, G. D. Crudup, C. W. Kemp, and G. C. Vogel	Development Support Systems	155
	Contributors to This Issue	171

February

S. E. Miller	Delay Distortion in Generalized Lens-Like Media	177
D. Marcuse	Losses and Impulse Response in Parabolic Index Fibers With Square Cross Section	195
J. A. Arnaud	Transverse Coupling in Fiber Optics—Part I: Coupling Between Trapped Modes	217
J. F. Hayes	Performance Models of an Experimental Computer Communication Network	225
S. B. Gershwin, R. V. Laue, and E. Wolman	Peak-Load Traffic Administration of a Rural Multiplexer With Concentration	261

H. Zucker	Time Domain Analysis and Synthesis of Notch Filters	283
L. R. Rabiner, J. F. Kaiser, O. Herrmann, and M. T. Dolan	Some Comparisons Between FIR and IIR Digital Filters	305
L. R. Rabiner and R. W. Schafer	On the Behavior of Minimax Relative Error FIR Digital Differentiators	333
L. R. Rabiner and R. W. Schafer	On the Behavior of Minimax FIR Digital Hilbert Transformers	363
	Contributors to This Issue	391
	B.S.T.J. Briefs:	
R. T. Bobilin	Interframe Picturephone® Coding Using Unconditional Vertical and Temporal Subsampling Techniques	395
R. A. Semplak	Simultaneous Measurements of Depolarization by Rain Using Linear and Circular Polarizations at 18 GHz	400
	March	
E. N. Gilbert, Mrs. F. J. MacWilliams, and N. J. A. Sloane	Codes Which Detect Deception	405
M. M. Sondhi, B. Gopinath, and D. Mitra	Formulas on Queues in Burst Processes—II	425
C. L. Ruthroff and W. F. Bodtmann	Adaptive Coding for Coherent Detection of Digital Phase Modulation	449
G. Persky and D. J. Bartelink	Controlled Current Filaments in PNIPN Structures With Application to Magnetic Field Detection	467
A. C. Salazar	Design of Transmitter and Receiver Filters for Decision Feedback Equalization	503
D. L. Jagerman	Some Properties of the Erlang Loss Function	525
	Contributors to This Issue	553
	April	
J. Goldman	Statistical Properties of a Sum of Sinusoids and Gaussian Noise and its Generalization to Higher Dimensions	557

C. H. Séquin	Experimental Investigation of a Linear 500-Element 3-Phase Charge-Coupled Device	581
C. K. Liu and T. L. Wang	Sampled-Data System Approach to Model Time-Division Switches	611
J. E. Goell	An Optical Repeater With High-Impedance Input Amplifier	629
E. A. J. Marcatili	Slab-Coupled Waveguides	645
J. A. Arnaud	Transverse Coupling in Fiber Optics—Part II: Coupling to Mode Sinks	675
V. Ramaswamy	Strip-Loaded Film Waveguide	697
D. Marcuse	Rayleigh Scattering and the Impulse Response of Optical Fibers	705
L. O. Wilson and F. K. Reinhart	Coupling of Nearly Degenerate Modes in Parallel Asymmetric Dielectric Waveguides	717
	Contributors to This Issue	741

May–June

L. H. Brandenburg and A. D. Wyner	Capacity of the Gaussian Channel With Memory: The Multivariate Case	745
R. D. Standley and W. S. Holden	Experimental Results on a Single-Material Optical Fiber	779
S. D. Personick	Optimal Trade-Off of Mode-Mixing Optical Filtering and Index Difference in Digital Fiber Optic Communication Systems	785
L. M. Goodrich	A Map Technique for Identifying Variables of Symmetry	801
S. Kaufman	Finite-Element Method for the Determination of Thermal Stresses in Anisotropic Solids of Revolution	827
Y.-S. Cho	Mean-Squared-Error Equalization Using Manually Adjusted Equalizers	847
D. Mitra	Mathematical Analysis of an Adaptive Quantizer	867
V. K. Prabhu and H. E. Rowe	Spectra of Digital Phase Modulation by Matrix Methods	899
N. S. Jayant	On the Correlation Between Bit Sequences in Consecutive Delta Modulations of a Speech Signal	937
	Contributors to This Issue	947

B.S.T.J. Brief:

W. G. French, J. B. MacChesney, P. B. O'Connor, and G. W. Tasker — Optical Waveguides With Very Low Losses — 951

July–August

J. A. Morrison and M.-J. Cross — Scattering of a Plane Electromagnetic Wave by Axisymmetric Raindrops — 955

P. Kaiser and H. W. Astle — Low-Loss Single-Material Fibers Made From Pure Fused Silica — 1021

K. K. Thornber — Treatment of Microscopic Fluctuations in Noise Theory — 1041

D. Marcuse — Bent Optical Waveguide With Lossy Jacket — 1079

L. J. Greenstein — Spectrum of a Binary Signal Block Coded for DC Suppression — 1103

L. H. Rosenthal, R. W. Schafer, and L. R. Rabiner — An Algorithm for Locating the Beginning and End of an Utterance Using ADPCM Coded Speech — 1127

J. O. Limb, R. F. W. Pease, and K. A. Walsh — Combining Intraframe and Frame-to-Frame Coding for Television — 1137

Contributors to This Issue — 1175

B.S.T.J. Briefs:

M. V. Schneider and W. W. Snell, Jr. — Stripline Downconverter With Subharmonic Pump — 1179

R. D. Standley — Fiber Ribbon Optical Transmission Lines — 1183

September

W. E. Schroeder — Spurious Parametric Oscillations in IMPATT Diode Circuits — 1187

K. K. Thornber — Theory of Noise in Charge-Transfer Devices — 1211

B. W. Stuck and B. Kleiner — A Statistical Analysis of Telephone Noise — 1263

B. Glance and W. W. Snell, Jr. — Low-Noise, Integrated, Millimeter-Wave Receiver — 1321

W. F. Bodtmann and C. L. Ruthroff — Rain Attenuation on Short Radio Paths: Theory, Experiment, and Design — 1329

C. Dragone — An Improved Antenna for Microwave Radio Systems Consisting of Two Cylindrical Reflectors and a Corrugated Horn — 1351

J. A. Arnaud	Transverse Coupling in Fiber Optics—Part III: Bending Losses	1379
F. W. Ostermayer, Jr. and D. A. Pinnow	Optimum Refractive-Index Difference for Graded-Index Fibers Resulting from Concentration-Fluctuation Scattering	1395
S. C. Liu	Application of Response-Bound Method in Shock and Vibration Analysis of Telephone Structures	1403
	Contributors to This Issue	1427

October

LAMP: LOGIC ANALYZER FOR MAINTENANCE PLANNING

H. Y. Chang, G. W. Smith, Jr., and R. B. Walford	System Description	1431
S. G. Chappell, C. H. Elmendorf, and L. D. Schmidt	Logic-Circuit Simulators	1451
S. G. Chappell	Automatic Test Generation for Asynchronous Digital Circuits	1477
H. Y. Chang and G. W. Heimbigner	Controllability, Observability, and Maintenance Engineering Technique (Comet)	1505
T. T. Butler, T. G. Hallin, J. J. Kulzer, and K. W. Johnson	Application to Switching-System Development	1535

GENERAL ARTICLES

T. S. Chu	Rain-Induced Cross-Polarization at Centimeter and Millimeter Wavelengths	1557
J. McKenna, N. L. Schryer, and R. H. Walden	Design Considerations for a Two-Phase, Buried-Channel, Charge-Coupled Device	1581
J. A. Arnaud	Pulse Spreading in Multimode, Planar, Optical Fibers	1599
D. Marcuse	Theory of the Single-Material Fiber	1619
J. A. Arnaud	Theory of the Single-Material, Helicoidal Fiber	1643
E. A. Ohm	A Proposed Multiple-Beam Microwave Antenna for Earth Stations and Satellites	1657
J. C. Candy	Limiting the Propagation of Errors in One-Bit Differential CODECs	1667
	Contributors to This Issue	1677

November

R. M. Gray and A. D. Wyner	Source Coding for a Simple Network	1681
D. Kahng, W. J. Sundburg, D. M. Boulin, and J. R. Ligenza	Interfacial Dopants for Dual-Dielectric, Charge-Storage Cells	1723
K. K. Thornber, D. Kahng, and C. T. Neppell	Bias-Temperature-Stress Studies of Charge Retention in Dual-Dielectric, Charge-Storage Cells	1741
J. E. Goell	Input Amplifiers for Optical PCM Receivers	1771
D. Marcuse	Reduction of Multimode Pulse Dispersion by Intentional Mode Coupling	1795
C. W. Anderson III, L. J. Lanzerotti, and C. G. Maclennan	Outage of the L4 System and the Geomagnetic Disturbances of 4 August 1972	1817
S. V. Ahamed and J. C. Irvin	New Frontiers of Varactor Harmonic Power Generation in the C-Band	1839
J. M. Manley	The Use of Negative-Impedance Units Inserted Uniformly Into a Transmission Line to Reduce Attenuation	1845
	Contributors to This Issue	1893

December

L5 COAXIAL-CARRIER TRANSMISSION SYSTEM

	Foreword	1897
F. C. Kelcourse and F. J. Herr	Overall Description and System Design	1901
E. H. Angell, Y.-S. Cho, K. P. Kretsch, and M. M. Luniewicz	Repeatered Line	1935
B. H. Hamilton and S. Mottel	Line-Power Feed	1987
J. H. Green and R. W. Sanders	Line-Protection Switching	2011
J. L. Thomas, R. E. Anderson, and P. J. Baun	Centralized Transmission Surveillance	2035
R. E. Maurer	Jumbogroup Multiplex Terminal	2065

A. F. Flint and H. S. Pustarfi	39A Precision Oscillator	2097
J. F. Barry, S. Narayanan, and J. F. Oberst	Jumbogroup Frequency Supply	2109
R. K. Bates and D. J. Zorn	Signal Administration and Interconnection	2129
R. J. Wirtz and W. G. Albert	Physical Design	2147
F. A. D'Altroy, R. M. Jacobs, J. M. Nacci, and E. J. Panner	Ultralinear Transistors	2195
J. L. Garrison, A. Olsen, Jr., and T. H. Simmonds, Jr.	Transmission Networks and Magnetic Components	2203
R. M.-M. Chen, C. F. Hempstead, Y. L. Kuo, M. L. Liou, R. P. Snicer, and E. D. Walsh	Role of Computing and Precision Measurements	2249
	Contributors to This Issue	2269